- 2 5655077.pn. USPAT: US-PGUB; EPO, JPO; DERWENT; IEM_TDB USPAT: US-PGUB; EPO, JPO; DERWENT; IEM_TDB USPAT: USPAT; US-PGUB; EPO, JPO; DERWENT; IEM_TDB USPAT; US-PGUB; EPO, JPO; DERWENT; IEM_TDB USPAT; U	L Number	Hits	Search Text	DB	Time stamp
US-PGFUB; 2PO; DERWENT; EMM TDB USPAT;	r warmer				
Proj. proj. DERWENT; IBM TOB USPAT; US	-	2	3633077.pn.	· ·	2004/04/08 09:04
DERWENT; IBM TOB USPAT; US				•	
TBM TDB	1			1	
-				1	
- 2 5917908.pn.				ı —	00004/00/00 40 45
EPO; JPO; DERMENT; IBM TDB JPAT; US-PGPUB; DERMENT; IBM TDB JPAT; US-PGPUB; DERMENT; IBM TDB JPAT; US-PGPUB; DERMENT; IBM TDB USFAT; USFA	-	2	5649204.pn.		2004/03/23 13:45
- 2 5917908.pn. DERMENT; IBM TOB USPAT; US-PGPUB; EPG; JPG; DERMENT; IBM TOB USPAT;	1			i ·	
TIM TDE					
- 2 5917908.pn. USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀGWANT; IBM TDB USPĀT USPĀGWANT; IBM TDB USPĀT; USPĀGWANT; USPĀGWANT; IBM TDB USPĀT; USPĀGWANT; IBM TDB USPĀT; USPĀGWANT; USPĀGWANT; IBM TDB USPĀT; USPĀGWANT; IBM TDB USPĀGWANT; IBM TDB USPĀGWANT; USPĀGWANT; IBM TDB USPĀGWANT; USPĀGWANT; IBM TDB USPĀGWANT; IBM TDB USPĀGWANT; IBM TDB USPĀGWA					
US-PCPUR; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; PO; JPO; DERWENT; IBM TDB USPAT; USPA				IBM TDB	
	-	2	5917908.pn.	USPAT;	2004/03/23 13:46
DERWENT; IBM TDB USPAT; US-PGRUB; PO; JPO; DERWENT; IBM TDB USPAT; USPAGRUB; PO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPAGRUB; PO; JPO; DERWENT; IBM TDB U			•	US-PGPUB;	
DERWENT; IBM TDB USPAT; US-PGRUB; PO; JPO; DERWENT; IBM TDB USPAT; USPAGRUB; PO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPAGRUB; PO; JPO; DERWENT; IBM TDB U				EPO: JPO:	
Time Tob					
- 25 (memory near (position or locat\$ or addres\$) near2 (encrypt\$ near key) - 394 (position or locat\$ or addres\$) near2 (encrypt\$ near key) - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key) - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 395 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab. - 396 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab. - 397 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab. - 398 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab. - 398 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab. - 398 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)) - 410 (position or locat\$ or addres\$) near2 (encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 410 (position or locat\$ or addres\$) or location or position) near5 (encrypt\$ near key)) - 410 (position or locat\$ or addres\$) or location or position) near5 (encrypt\$ near key)) - 410 (position or locat\$ or addres\$) or location or position) near5 (encrypt\$ near key)) - 410 (position or locat\$ or addres\$) or location or position) near5 (encrypt\$ near key)) - 410 (position or locat\$ or addres\$) or location or position) near5 (encrypt\$ near key)) - 410 (position near5 (encrypt\$ near key)) - 410 (position or locat\$ or addres\$) or location or position) near5 (encrypt\$ near key))				1	1
- 25 (memory near (position or locats or addres\$) near3 (encrypt\$ near key) - 394 (position or locat\$ or addres\$) near2 (encrypt\$ near key) - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key) - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 53 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 53 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 54 (position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 55 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 56 (position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 57 (position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab, - 58 (position or locat\$ or addres\$) near2 (encrypt\$ near key).ab, - 6535858.pn. - 6535858.pn. - 1 6535858.urpn. - 1 85930309".pn 1 187563301".pn 29 (position or locat\$ or addres\$) near2 (encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 1 187563301".pn 2004/03/23 14:0 - 2	l	1	"5689560" DN		2004/03/23 13:46
addres\$)) near3 (encrypt\$ near key)		_			1
Property	-	25		l .	2004/03/23 13:55
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; USPĀT 2004/03/23 14:0 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; D			address)) nears (encrypts near key)	1	
- 394					1
- 394 (position or locat\$ or addres\$) near2	!			1	
Cencrypt\$ near key)					1
SEPO, JPO; DERMENT; IBM_TDB USPĀT; US-PGPUB; EPO, JPO; DERMENT; IBM_TDB USPĀT	-	394		USPAT;	2004/03/23 13:56
SEPO, JPO; DERMENT; IBM_TDB USPĀT; US-PGPUB; EPO, JPO; DERMENT; IBM_TDB USPĀT			(encrypt\$ near key)	US-PGPUB;	1
- 394 ((position or locats or address) near2 (encrypts near key)).ab, USPAT; US-PGPUB; EPG, JPG) DERWEMT; IBM TDB USPAT; US-PGPUB; EPG, JPG) DERWEMT; IBM TDB USPAT; US-PGPUB; EPG, JPG) DERWEMT; IBM TDB USPAT; US-PGPUB; EPG, JPG; DERWEMT; IBM TDB USPAT; USPAT 2004/03/23 14:0 USPAT 2004/				EPO; JPO;	
- 394 ((position or locats or address) near2 (encrypts near key)).ab, USPAT; US-PGPUB; EPG, JPG) DERWEMT; IBM TDB USPAT; US-PGPUB; EPG, JPG) DERWEMT; IBM TDB USPAT; US-PGPUB; EPG, JPG) DERWEMT; IBM TDB USPAT; US-PGPUB; EPG, JPG; DERWEMT; IBM TDB USPAT; USPAT 2004/03/23 14:0 USPAT 2004/					
- 394 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)).ab,				1	
Cencrypt\$ near key)).ab,	l i	394	((position or locat\$ or addres\$) near2		2004/03/23 13:56
EPO; JPO; DERWENT; IBM TDB USPAT; USPAT 2004/03/23 14:0 USPAT; US					
Composition or locats or address Derment; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT U			(onorjpet nodr noj//tda/		
S3					
- 53 ((position or locat\$ or addres\$) near2 (SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT 2004/03/23 14:0 USPAT; USPA					
(encrypt\$ near key)).ab. (encrypt\$ near key))		F 2	//itian an larate an addressel mann?		2004/02/22 14:05
EPC; JPC; DERWENT; IBM TDB USPĀT; US-PGPUB; EPC; JPO; DERWENT; IBM TDB USPĀT USPĀT USPĀT 2004/03/23 14:0 USPĀT; USPĀT 2004/03/23 14:0 USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀPŪB; EPC; JPO; DERWENT; IBM TDB USPĀT; USPĀPBUB; EPC; JPO; DERWENT; IBM TDB USPĀT; USPĀPGPUB; EPC; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB;	-	53			2004/03/23 14:05
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 2004/03/23 14:0 USPĀT; USPĀPGPUB; (protect\$ or prevent\$)) USPĀT; USPĀPGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	*		(encrypts near key)).ab.		
BM TDB					
- 2 ep-899733-\$.did.					
US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT 2004/03/23 14:0 USPĀT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; US					1
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/03/23 14:0 USPAT; USPAT 2004/03/23 14:0 USPAT; USPAT 2004/03/23 14:0 USPAT; USPA	-	2	ep-899733-\$.did.	1	2004/03/23 14:07
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT US-PĀT US-PĀT US-PĀT US-PĀT US-PĀT US-PĀT USPĀT USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;					1
TBM_TDB				EPO; JPO;	
- 2 6535858.pn. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT 2004/03/23 14:0 - 1 6535858.URPN. USPĀT 2004/03/23 14:0 - 1 "5960398".PN. USPĀT 2004/03/23 14:0 - 1 "5930209".PN. USPĀT 2004/03/23 14:0 - 1 "5905709".PN. USPĀT 2004/03/23 14:0 - 1 "RE35839".PN. USPĀT 2004/03/23 14:0 - 1 "R635839".PN. USPĀT 2004/03/23 14:0 - 1 "75761301".PN. USPĀT 2004/03/23 14:0 - 29 ((position or locat\$ or addres\$) near2 USPĀT; (encrypt\$ near key)) and (copy near USPĀT; (protect\$ or prevent\$)) - 410 380/201.ccls. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;				DERWENT;	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/03/23 14:0 USPAT; USPAT; (encrypt\$ near key)) and (copy near USPAT; (protect\$ or prevent\$)) USPAT; US	1			IBM TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/03/23 14:0 1 "5960398".PN. USPAT 2004/03/23 14:0 1 "5930209".PN. USPAT 2004/03/23 14:0 1 "5905709".PN. USPAT 2004/03/23 14:0 1 "RE35839".PN. USPAT 2004/03/23 14:0 1 "85761301".PN. USPAT 2004/03/23 14:0 29 ((position or locat\$ or addres\$) near2 USPAT; (encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 410 380/201.ccls. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PG	-	2	6535858.pn.	USPAT;	2004/03/23 14:13
EPO; JPO; DERWENT; IBM TDB USPAT 2004/03/23 14:0 USPAT; (protect\$ or locat\$ or addres\$) near2 USPAT; (protect\$ or prevent\$)) USPAT; USPAPD; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;		_			
DERWENT; IBM_TDB USPAT				1	
- 1 6535858.URPN.	ļ			1	1
- 1 6535858.URPN.					
- 1 "5960398".PN 1 "5930209".PN 1 "5905709".PN 1 "RE35839".PN 1 "5761301".PN 29 ((position or locat\$ or addres\$) near2 ((encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 410 380/201.ccls 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) - 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) - 1	[_	1	6535959 (IDDN	_	2004/03/23 14:07
- 1 "5930209".PN.	[1	
- 1 "5905709".PN 1 "RE35839".PN 1 "5761301".PN 29 (position or locat\$ or addres\$) near2 (encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 410 380/201.ccls. 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) USPAT (USPAT (2004/03/23 14:0 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB;	-			1	
- 1 "RE35839".PN 1 "5761301".PN 29 ((position or locat\$ or addres\$) near2 ((encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 410 380/201.ccls. 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) USPAT (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;	-				
- 1 "5761301".PN. ((position or locat\$ or addres\$) near2 (encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 410 380/201.ccls. 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB;	-			•	
- 29 ((position or locat\$ or addres\$) near2 (encrypt\$ near key)) and (copy near (protect\$ or prevent\$)) - 410 380/201.ccls. 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;	-			1	
<pre>(encrypt\$ near key)) and (copy near</pre>	-			1	2004/03/23 14:09
(protect\$ or prevent\$)) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT;	-	29		USPAT;	2004/03/23 14:21
(protect\$ or prevent\$)) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;			(encrypt\$ near key)) and (copy near	US-PGPUB;	1
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB;			(protect\$ or prevent\$))	EPO; JPO;	
- 410 380/201.ccls. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; Or position) near5 (encrypt\$ near key)) US-PGPUB; US-PGPUB;	{		<u> </u>	DERWENT;	1
- 410 380/201.ccls. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; Or position) near5 (encrypt\$ near key)) US-PGPUB; US-PGPUB;	[IBM TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 9 380/201.ccls. and ((address\$ or location USPAT; 2004/03/23 14:3 or position) near5 (encrypt\$ near key)) US-PGPUB;]_	410	380/201.ccls.	_	2004/03/23 14:22
PEPO; JPO; DERWENT; IBM_TDB 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) US-PGPUB;	}	410			
DERWENT; IBM_TDB 9 380/201.ccls. and ((address\$ or location or position) near5 (encrypt\$ near key)) US-PGPUB;]				
- 9 380/201.ccls. and ((address\$ or location USPAT; 2004/03/23 14:3 or position) near5 (encrypt\$ near key)) US-PGPUB;	ļ !			1	· · · i
9 380/201.ccls. and ((address\$ or location USPAT; 2004/03/23 14:3 or position) near5 (encrypt\$ near key)) US-PGPUB;	[;		1	1
or position) near5 (encrypt\$ near key)) US-PGPUB;	1	_	200/001 //		2004/02/22 14-21
	-	9			2004/03/23 14:31
			or position) nearb (encrypt\$ near key))	· ·	
]			EPO; JPO;	
DERWENT;					
IBM_TDB	ı			IBM_TDB	

Page 1

-	2	6457127.pn.	USPAT;	2004/03/23 14:30
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	[
1_	2	6580682.pn.	USPAT;	2004/03/23 14:30
	_	0000002.pm.	US-PGPUB;	2001,03,23 11.33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0001/00/00 11 00
_	41	380/201.ccls. and ((address\$ or location	USPAT;	2004/03/23 14:32
		or position) near5 key)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	32	(380/201.ccls. and ((address\$ or location	USPAT;	2004/03/23 14:41
		or position) near5 key)) not	US-PGPUB;	
		(380/201.ccls. and ((address\$ or location	EPO; JPO;	
		or position) near5 (encrypt\$ near key)))	DERWENT;	
		or posteron, nours (oner,pe, nour no,,,,	IBM TDB	
	85	380/264ls.	USPĀT;	2004/03/23 14:41
-	83	000/20123,	US-PGPUB;	2004/03/23 14.41
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	0001/00/00
j -	61	380/264.ccls.	USPAT;	2004/03/23 14:52
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
l <u> </u>	2	5917908.pn.	USPAT;	2004/03/23 16:56
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
		E017000 UPDN	USPAT	2004/03/23 16:21
_	2	5917908.URPN.		
-	1	"5860094".PN.	USPAT	2004/03/23 16:22
-	1	"5412718".PN.	USPAT	2004/03/23 16:26
-	1	"5231662".PN.	USPAT	2004/03/23 16:30
-	1	"4780905".PN.	USPAT	2004/03/23 16:30
_	1	"5689560".PN.	USPAT	2004/03/23 16:32
-	1	"5661800".PN.	USPAT	2004/03/23 16:32
-	1	"5661799".PN.	USPAT	2004/03/23 16:32
_	1	"5412718".PN.	USPAT	2004/03/23 16:38
_	2	6000030.pn.	USPAT;	2004/03/23 16:38
	_		US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
_	5	6000030.URPN.	USPAT	2004/03/23 16:41
1.	1		USPAT	2004/03/23 16:41
-	1	"5563946".PN.		1
-	1	"5416840".PN.	USPAT	2004/03/23 16:50
-	1	"5241594".PN.	USPAT	2004/03/23 16:51
-	1	"5210795".PN.	USPAT	2004/03/23 16:51
-	1	"4864616".PN.	USPAT	2004/03/23 16:51
-	1	"4864494".PN.	USPAT	2004/03/23 16:52
_	2	5917908.URPN.	USPAT	2004/03/23 16:52
_	0	6587842.URPN.	USPAT	2004/03/23 16:53
_	1	"6047242".PN.	USPAT	2004/03/23 16:53
_	l ī	"5917908".PN.	USPAT	2004/03/23 16:53
_	1	"5337357".PN.	USPAT	2004/03/23 16:53
-			USPAT;	2004/03/23 16:57
-	2	5649204.pn.	US-PGPUB;	2004,03/23 10:3/
			L	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	1
-	2	5809145.pn.	USPAT;	2004/03/23 17:02
1			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
ı	L	<u> </u>	1 2000 100	L

_	37	"0113542"	USPAT;	2004/03/23 17:02
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	_		IBM_TDB	
-	3	"200113542"	USPAT;	2004/03/23 17:03
			US-PGPUB;	
			EPO; JPO;	
	ļ		DERWENT;	
		"0440540"	IBM_TDB	0001/00/00 17 06
-	37	"0113542"	USPAT;	2004/03/23 17:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l _	0	PCT/US01/13542	IBM_TDB USPAT;	2004/03/23 17:06
-	1	FC1/0301/13342	US-PGPUB;	2004/03/23 17.00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
i	0	US0113542	USPAT;	2004/03/23 17:06
		050113342	US-PGPUB;	2001,03,23 1,.00
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	37	"0113542"	USPĀT;	2004/03/23 17:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	ep-899733-\$.did.	USPAT;	2004/03/26 14:17
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	jp-63211045-\$.did.	USPAT;	2004/03/26 14:10
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-] 1	jp-02078066 - \$.did.	USPAT;	2004/03/26 14:10
	ı		US-PGPUB;	
i			EPO; JPO;	
İ	Ì		DERWENT;	
1			IBM_TDB	
-	2	6535858.pn.	USPAT;	2004/03/26 14:17
!			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	_	CESEGEO MADA	IBM_TDB	2004/02/25 14:17
-	1	6535858.URPN.	USPAT	2004/03/26 14:17
-	1	"5960398".PN.	USPAT	2004/03/26 14:18
-	1 1	"5930209".PN.	USPAT	2004/03/26 14:18 2004/03/26 14:19
-	1	"RE35839".PN.	USPAT	
-	1	"5761301".PN.	USPAT	2004/03/26 14:20 2004/03/26 14:20
-	687	"5684785".PN. 713/193.ccls.	USPAT;	2004/03/26 14:20 2004/03/26 16:21
-	00/	/13/193.0015.	US-PGPUB;	2004/03/20 10:21
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
l _	541	713/193.ccls. and encrypt\$	USPAT;	2004/03/26 16:21
		15,155.0015. did energyber	US-PGPUB;	2004,00,20 10.21
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	1
_	86	(713/193.ccls. and encrypt\$) and	USPAT;	2004/03/26 16:21
		((position or locaiton or address) near5	US-PGPUB;	
	1	key)	EPO; JPO;	
	1	· · · - 4 ·	DERWENT;	
			IBM TDB	
L	<u> </u>		1 221 100	l

-	2	5661800.pn.	USPAT;	2004/04/08 09:04
			US-PGPUB;	į
			EPO; JPO;	
	ŀ		DERWENT;	į
	٠ .		IBM_TDB	
-	2	5649204.pn.	USPAT;	2004/04/08 09:05
			US-PGPUB;	
			EPO; JPO;	
	}		DERWENT;	
l_	2	5809145.pn.	IBM_TDB USPAT;	2004/04/08 09:05
-	2	3009143.pn.	US-PGPUB;	2004/04/08 09:03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	6542167.pn.	USPĀT;	2004/04/08 09:06
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6571339.pn.	USPAT;	2004/04/08 09:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	H00010010360H	IBM_TDB	2004/04/02 02 02
_	2	"20010012362"	USPAT;	2004/04/08 09:08
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	5265193.pn.	USPAT;	2004/04/08 09:09
	_	3203173.pm.	US-PGPUB;	2004/04/00 03:03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	47575343.pn.	USPAT;	2004/04/08 09:09
			US-PGPUB;	
}			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	2	4757534.pn.	USPĀT;	2004/04/08 10:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		6535050	IBM_TDB	2004/04/08 10:43
-	2	6535858.pn.	USPAT;	2004/04/08 10:43
			US-PGPUB; EPO; JPO;	ļ
			DERWENT;	
			IBM TDB	
_	1	6535858.URPN.	USPAT	2004/04/08 10:16
-	1	"5960398".PN.	USPAT	2004/04/08 10:17
-	1	"5930209".PN.	USPAT	2004/04/08 10:17
-	1	"5905709".PN.	USPAT	2004/04/08 10:18
-	1	"RE35839".PN.	USPAT	2004/04/08 10:18
-	1	"5761301".PN.	USPAT	2004/04/08 10:19
-	2	4757534.pn.	USPAT;	2004/04/08 10:45
1			US-PGPUB;	
			EPO; JPO;	,
1			DERWENT;	
1_	2	5917908.pn.	IBM_TDB USPAT;	2004/04/08 10:46
]	2	001,900.pm.	US-PGPUB;	5004/04/00 IO:40
			EPO; JPO;	
			DERWENT;	
		'	IBM TDB	
-	2	5917908.URPN.	USPAT	2004/04/08 10:45
-	2	6000030.pn.	USPAT;	2004/04/08 10:46
			US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB_	